

## 1101 - GENERAL REQUIREMENTS FOR AGGREGATES

(b) Certify aggregates that are tested at their production site to determine final disposition. These certifications state that the aggregates were removed from a KDOT tested and approved stockpile at the production site, or that they were removed from a plant while it was producing aggregate that was in compliance with the applicable specifications.

(2) Aggregates Incorporated into the Project: At locations where aggregates and products that incorporate aggregates are produced for KDOT and non-KDOT use, provide certifications stating that only KDOT tested and approved aggregate were provided for the KDOT projects.

(3) Frequency of Certification:

(a) Before the initial delivery of aggregates to a project or product preparation site, provide the Engineer a certification. This certification is to be under the signature of the aggregate producer or their designated representative and states that all aggregates to be provided for the project are in compliance with all the applicable KDOT specifications.

(b) Upon completion of the project, provide certifications as specified in **1101.2c.(1),(2)** to the Engineer. These certifications apply to all aggregates that were delivered to the project or product preparation site and ultimately used in the project.

These certifications are to indicate the approximate quantities in tons or cubic yards of each aggregate delivered to the project and the approximate quantities in tons or cubic yards of each aggregate delivered to the product preparation site and incorporated into a product that was utilized in the project.

### 1101.3 TEST METHODS

Test all aggregates in accordance with the applicable methods cited in **SECTION 1115**.

### 1101.4 PREQUALIFICATION

Aggregates from each source require "Official Quality" testing on samples obtained by an authorized representative of the KDOT before use on KDOT projects. These samples are taken from actual production, which may be "pit-run", "crusher-run" or may involve some processing. Approved sources remain approved only if there are no major changes in the production methods or deposit characteristics.

### 1101.5 BASIS OF ACCEPTANCE

Aggregates from sources approved for the intended use are accepted based on the following:

**a.** Current official quality test results complying with the requirements of the applicable subsection are on file with the KDOT.

**b.** Results of tests conducted on samples taken at a point or points designated by the Engineer. The KDOT reserves the right to re-sample, test and reject any previously accepted aggregate if the Engineer has reason to believe it no longer complies with the Contract Documents.

**c.** Certifications as specified in **subsection 1101.2 c.**